EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	278	((measurement measur$3 determin$3) with electromagnetic with field) and (wireless near3 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 16:27
L2	10	1 and (fix$2 with (station terminal unit) with antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 16:28
L3	11	1 and (fix$2 with (station terminal unit) with antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:28
L4	572	((measurement measur$3 determin$3 detect$3) with electromagnetic with field) and (wireless near3 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:44
L5	28	4 and ((drift$3 leakage deviat$3) with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:45
L6	28	5 and (wireless with (system network communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:47
S62	2	((PIERRE) near2 (DELBREIL)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:52
S63	7	((CHRISTOPHE) near2 (GRANGEAT)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:53
S64	4	((MARC) near2 (EDIMO)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:53
S65	11	S62 or S63 or S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 17:53
S66	182	(electromagnetic with field with probe).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:57

S67	15	S66 and ((transmit$4 trasmission) with (station device antenna terminal apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:00
S68	21	((measur$3 measurement) with electromagnetic with field with fixed with probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:07
S69	81	((measur$3 measurement) with (prob$4 sens$3 detect$3 monitor$3) with (electromagnetic near3 field)) and (drift$3 leakage deviat$3) and ((transmit$4 recept$4 receiv$3) near antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 18:29
S70	12	S69 and (electromagnetic with (level$1 drift))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:33
S71	81	((measur$3 measurement) with (prob$4 sens$3 detect$3 monitor$3) with (electromagnetic near3 field)) and (drift$3 leakage deviat$3) and ((transmit$4 recept$4 receiv$3) near antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 18:58
S72	44	S71 and ((measurement measur$4) near3 (device unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:58

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S62	2	((PIERRE) near2 (DELBREIL)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:52
S63	7	((CHRISTOPHE) near2 (GRANGEAT)). INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:53
S64	4	((MARC) near2 (EDIMO)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/26 17:53
S65	11	S62 or S63 or S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 17:53
S66	182	(electromagnetic with field with probe).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:57
S67	15	S66 and ((transmit$4 trasmission) with (station device antenna terminal apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:00
S68	21	((measur$3 measurement) with electromagnetic with field with fixed with probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:07
S69	81	((measur$3 measurement) with (prob$4 sens$3 detect$3 monitor$3) with (electromagnetic near3 field)) and (drift$3 leakage deviat$3) and ((transmit$4 recept$4 receiv$3) near antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 18:29
S70	12	S69 and (electromagnetic with (level$1 drift))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:33
S71	81	((measur$3 measurement) with (prob$4 sens$3 detect$3 monitor$3) with (electromagnetic near3 field)) and (drift$3 leakage deviat$3) and ((transmit$4 recept$4 receiv$3) near antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 18:58

S72	44	S71 and ((measurement measur$4) near3 (device unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 18:58
S73	278	((measurement measur$3 determin$3) with electromagnetic with field) and (wireless near3 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 16:27
S74	10	˙S73 and (fix$2 with (station terminal unit) with antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 16:28
S75	11	S73 and (fix$2 with (station terminal unit) with antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:28
S76	572	((measurement measur$3 determin$3 detect$3) with electromagnetic with field) and (wireless near3 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:44
S77	28	S76 and ((drift$3 leakage deviat$3) with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:45
S78	28	S77 and (wireless with (system network communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:47